

## Seznam citací- FAQ

PÅ™íspÅ›ek pÅ™idal Radek Kastner

[28.12.2007]

Aktualizováno [11.01.2008]

Prájce na FAQ odstartovali návštěvy v roce 1993 jako zpÅšob poskytování informací - návštěvníci zájemců o výzkumu v oblasti masožravých rostlin a speciálně pro nováčky, kteří se zapojili do ráznovrstvých diskusních fází (u nás na <http://forum.masozravky.org/>). V jeho první chodě byl FAQ tak malý, že byla pouze jediná webová stránka! S každou novou verzí FAQ rostl až se stal tak velkou, nenesytnou potvorou, že dnes zabírá všechny nežádoucí

PÅ™í svátkem originálně m zrození- nebyl FAQ zamýšlen jako formální dokument. Ačkoliv jsem všechny chtěl, aby byly tyto deky obsahové, jak je to jen možné. Takže pro vaše použití- a další- výzkum jsem pÅ™ipojil reference do souvisejících stránek FAQ.

Použil jsem tyto typy referencí- ve FAQ, které mohou vypadat jinak, než je zvykem pÅ™í normální- ch citací- autoré jsou následující:

Personal observation: Není co, co jsem sám báhem let zjistil.

Reader contribution: Od autentického FAQ, obvykle jsou identifikovány když jsou jménem a prvním písmenem pÅ™íjmou.

Other sources: Zdroje, které nemohu potvrdit, ale všechna- m, že jsou dle výhodná.

### References

Adam, J.H., and Hamid, H.A. 2007, Pitcher Plants (*Nepenthes*) recorded From Universiti Kebangsaan Malaysia, Bangi, Selangor, Malaysia. Int. J. of Bot. 3: 71-77.

Adam, J.H., and Hamid, H.A. 2006, Pitcher plants (*Nepenthes*) recorded from Keningau-Kimanis Road in Sabah, Malaysia. Int. J. of Bot. 2: 431-436.

Adamec, L. 2003, Zero water flows in the carnivorous genus *Genlisea*. Carniv. Pl. Newslett., 32, 46-48.

Alm, T. 2005, *Pinguicula vulgaris* (Lentibulariaceae) and its uses in Norway. Sida, 21, 2249-2274.

Anderson, B. 2005, Adaptations to foliar absorption of faeces: a pathway in plant carnivory. Ann. Bot, 95: 757-761.

Anderson, B. and Midgley , J.J. 2002, It takes two to tango but three is a tangle: mutualists and cheaters on the carnivorous plant *Roridula*. Oecologia, 132, 369-373.

Anderson, B. and Midgley , J.J. 2003, Digestive mutualism, an alternate pathway in plant carnivory. Oikos, 102, 221-224.

Anderson, B. and Midgley , J.J. 2007, Density-dependent outcomes in a digestive mutualism between carnivorous *Roridula* plants and their associated hemipterans. Oecologia, 152: 115-120.

Anfraix, R. 2004, New Cultivars: *Dionaea 'Louchapates'*. Carniv. Pl. Newslett., 33, 100.

Anonymous 2001, Coverage Policy Bulletins Number: 207, Subject: Prolotherapy, Aetna Inc., September 5, accessed 4 April 2002. <http://www.aetna.com/cpb/data/CPBA0207.html>

Anonymous, Washington State Dept. of Ecology 2000, Non-native freshwater plants: swollen bladderwort, accessed 4 April 2000. <http://www.ecy.wa.gov/programs/wq/plants/weeds/bladder.html>

- Barthlott, W., Fischer, E., Frahm, J.P., and Seine, R. 2000, Evidence for Zoophagy in the Hepatic Colura. *Plant Biol.*, 2, 93-97.
- Barthlott, W., Porembski, S., Seine, R. and Theisen, I. 2007, The Curious World of Carnivorous Plants. Timber Press, 224p.
- Barthlott, W., Porembski, S., Fischer, E. and Gemmel, B. 1998, First protozoa-trapping plant found. *Nature*, 392, 447.
- Bell, A.D. 1991, Plant form: An illustrated guide to flowering plant morphology. Oxford.
- Berry, P.E., Riina, R., and Steyermark, J.A. 2005. *Sarraceniaceae*. In *Flora of the Venezuelan Guayana*. 9: 138-144.
- Bradshaw, W. E., and Holzapfel, C.M. 2001, Genetic shift in photoperiodic response correlated with global warming. *Proc. Nat. Acad. Sci. USA*. 98: 14509-14511.
- Breckpot, C. 1997, *Aldrovanda vesiculosa*: Description, Distribution, Ecology, and Cultivation. *Carniv. Pl. Newslett.* 26: 73-82.
- Brickell, C.D., Baum, B.R., Hetterscheid, W.L.A., Leslie, A.C., McNeill, J., Trehane, P., Vrugtman, F. and Wiersema, J.H. (eds), 2004, International Code of Nomenclature for Cultivated Plants. Lubrecht and Cramer Ltd Edinburgh, UK.
- Bringmann, G., Wenzel, M., Bringmann, H.P., Schlauer, J., AkÄ© Assi, L., Haas, F. 2001, Uptake of the amino acid alanine by digestive leaves: proof of carnivory in the tropical liana *Triphyophyllum peltatum* (Dioncophyllaceae). *Carniv. Pl. Newslett.* 30: 15-21.
- Bringmann, G., Rischer, H., Schlauer, J., Wolf, K., Kreiner, A., Duschek, M., AkÄ© Assi, L. 2002, The tropical liana *Triphyophyllum peltatum* (Dioncophyllaceae): formation of carnivorous organs is only a facultative prerequisite for shoot elongation. *Carniv. Pl. Newslett.* 31: 44-52.
- Bringmann, G., Schlauer, J., Wolf, K., Rischer, H., Buschbom, U., Kreiner, A., Thiele, F., Duschek, M., AkÄ© Assi, L. 1999, Cultivation of *Triphyophyllum peltatum* (Dioncophyllaceae), the part-time carnivorous plant. *Carniv. Pl. Newslett.* 28: 7-13.
- Brittnacher, J., Rice, B.A., and Song, L. 2000, New cultivars: *Pinguicula 'Pirouette'*. *Carniv. Pl. Newslett.*, 29: 17.
- Bossard, C.C., Randall, J.M., and Hoshovsky, M.C. 2000, Invasive Plants of California's Wildlands. University of California Press, 359p.
- Brodie, J. and Lee, C. 2000, News and Views. *Carniv. Pl. Newslett.*, 29, 54.
- Burrows, G.E. and Tyrl, R.J. 2001, Toxic Plants of North America. Iowa State University Press, 1342p.
- Cantley, R., Clarke, C., Cokendolpher, J., Rice, B., Wistuba, A. 2004, *Nepenthes cliveata* Survival Program, internet publication, <http://www.sarracenia.com/faq/faq6010g.html>, accessed January 2004.
- Cantley, R., Clarke, C., Cokendolpher, J., Rice, B., Wistuba, A. 2004, *Nepenthes cliveata* Survival Program, *Carniv. Pl. Newslett.*, 34, 116-120.
- Carlquist, S. 1976, Wood anatomy of Roridulaceae: ecological and phylogenetic implications, *Amer. J. Bot.* 63: 1003-1008.
- Case, F.W., and Case, R.B. 1976, The *Sarracenia rubra* complex. *Rhodora* 78: 270-325.
- Case, F.W., and Case, R.B. 1974, *Sarracenia alabamensis*, a newly recognized species from central Alabama. *Rhodora* 76: 650-665.
- Casper, J. 1966. Monographie der Gattung *Pinguicula* L. Stuttgart: Bibliotheca Botanica. Heft 127/128: 1-209+16.
- Casper, J. 1987. On *Pinguicula lignicola*, an epiphytic heterophyllic member of the Lentibulariaceae in Cuba. *Pl. Syst. Evol.* 155: 349-354.
- Ceska, A. 2007, BEN digest, 369. 4 January 2007.
- Utricularia inflata* Walt. (Lentibulariaceae). *Madrono* 33: 80.

- Ceska, A., and Ceska, O. 1986, Noteworthy collections - Washington: *Utricularia inflata* Walt. (Lentibulariaceae). *Madrono* 33: 80.
- Cheek, M. 2001, Good News: *Drosera longifolia* L. rejected, *Sarracenia purpurea* L. conserved with a new type. *Carniv. Pl. Newslett.*, 30, 29-30.
- Chatelain, C., Gautier, L., and Spichiger, R. 1996, A recent history of forest fragmentation in southwestern Ivory Coast. *Biodiversity and Conservation*, 5, 37-530.
- Cheek, M. 1994, The correct names for the subspecies of *Sarracenia purpurea* L. *Carniv. Pl. Newslett.*, 23, 69-73.
- Cieslak, T., Polepalli, J.S., White, A., MÄller, K., Borsch, T., Barthlott, W., Steiger, J., Marchant, A., and Legendre, L. 2005, Phylogenetic analysis of *Pinguicula* (Lentibulariaceae): chloroplast DNA sequences and morphology support several geographically distinct radiations. *Am. J. of Bot.* 92: 17223-1736.
- CITES, 1992, Conference of the Parties to the Convention on International Trade in Endangered Species of Wild Fauna and Flora.
- Clarke, C. 2001, *Nepenthes* of Sumatra and peninsular Malaysia. Natural History Publications, Kota Kinabalu, Borneo, 329p.
- Clarke, C. 1997, *Nepenthes* of Borneo. Natural History Publications, Kota Kinabalu, Borneo, 207p.
- Clarke, C., and Kruger, R. 2006. *Nepenthes tenax* C.Clarke and R.Kruger (Nepenthaceae), a new species from Cape York Peninsula, Queensland. *Austrobaileya* 7(2): 319-324.
- Clarke, C., Lee, C., McPherson, S. 2006. *Nepenthes chaniana* (Nepenthaceae), a new species from north-western Borneo. *Sabah Parks Journal* 7: 53-66.
- Clayton, C. 2004, New Cultivars: *Dionaea 'Clayton's Red Sunset.'* *Carniv. Pl. Newslett.*, 33, 21.
- Coile, N.C., and Garland, M.A. 2003, Notes on Florida's Endangered and Threatened Plants. Florida Department of Agriculture & Consumer Services, Division of Plant Industry.
- Conran, J.G., and Christophel, D.C. 2004, A fossil Byblidaceae seed from Eocene South Australia. *Int. J. Plant Sci.*, 165: 691-694.
- Conran, J.G., Lowrie, A. and Moyle-Croft, J. 2002, A revision of *Byblis* (Byblidaceae) in southwestern Australia. *Nuytsia*, 15:11-19.
- Correia, E., and Freitas, H. 2002. *Drosophyllum lusitanicum*, an endangered West Mediterranean endemic carnivorous plant: threats and its ability to control available resources. *Bot. J. Linn. Soc.*, 140: 383-390.
- Cowell, C. undated, Plant story: *Roridula dentata*, accessed 7 June 2007.  
[http://ftp.rbge.org.uk/msbp/plantstories/Roridula\\_dentata.htm](http://ftp.rbge.org.uk/msbp/plantstories/Roridula_dentata.htm)
- Crum, H., and Planisek, S. 1992, Focus on Peatlands and Peat Mosses. University of Michigan Press, 320 p.
- D'Amato, P. 1998a, The Savage Garden: cultivating carnivorous plants. Ten Speed Press, Berkeley, California, 314p.
- D'Amato, P. 1998b, The Savage Garden (article series): Coco Peat Update. *Carniv. Pl. Newslett.*, 27, 100.
- D'Amato, P. 1998c, The Savage Garden (article series): Miracid + Mexican *Pinguicula* = Death! *Carniv. Pl. Newslett.*, 27, 100.
- Danser, B.H. 1928, The Nepenthaceae of the Netherlands Indies. Reprinted in 2006 by Natural History Publications, Kota Kinabalu, Borneo, 206p. Originally printed in *Bulletin du Jardin de Botanique, Buitenzorg*. Série III. 9(3-4): 249-438.
- Darnowski, D. 2004, How to grow a ridiculously large number of sundews, *Carniv. Pl. Newslett.* 33: 90-94.
- Darnowski, D.W. 2002b, Triggerplants. Rosenberg Publishing, 92p.
- Darnowski, D.W. 2002a, A method for growing *Aldrovanda*. *Carniv. Pl. Newslett.* 31: 113-115.
- Darnowski, D.W., Carroll, D.M., Plachno, B., Kabanoff, E., Cinnamon, E. 2006, Evidence of Protocarnivory in

- Triggerplants (Stylium spp.; Stylidiaceae). *Plant Biology*. 8: 1-8.
- Darwin, C. 1875, *Insectivorous Plants*. D. Appleton and Company, New York. 462p.
- Degreef, J.D. 1997, *Fossil Aldrovanda*. *Carniv. Pl. Newslett.* 26: 93-97.
- Degreef, J.D. 1990, *Droseras caulescents d'Afrique*. Dionâge. 20.
- Dodd, C., and Powell, C. 1988, A practical method for cultivation of *Heliamphora* spp. *Carniv. Pl. Newslett.* 17: 48-50.
- Elder, C.L. 1997, *Reproductive Biology of Darlingtonia californica*. Master's Thesis. Humboldt State University. 67p.
- Ellis, A.G. and Midgley, J.J. 1996. A new plant-animal mutualism involving a plant with sticky leaves and a resident hemipteran. *Oecologia* 106: 478-481.
- Ellison, A. 2001, Interspecific and intraspecific variation in seed size and germination requirements of *Sarracenia* (Sarraceniaceae). *American Journal of Botany*. 88: 429-437.
- Ellison, A.M., Buckley, H.L., Miller, T.E., and Gotelli, N.J. 2004, Morphological variation in *Sarracenia purpurea* (Sarraceniaceae): geographic, environmental, and taxonomic correlates. *American Journal of Botany*. 91: 1930-1935.
- Ellison, A.M., and Gotelli, N.J. 2002, Nitrogen availability alters the expression of carnivory in the northern pitcher plant *Sarracenia purpurea* (Sarraceniaceae). *P.N.A.S.* 99: 4409-4412.
- Erbacher, M., and Stoeckl, M. 2005, *Dionaea 'Red Burgundy'*. *Taublatt.*, 51, 22.
- Erickson, R. 1968, *Plants of Prey in Australia*. Lamb Publications, Perth, 1968. 94 p.
- Estes, D. 2006, Tennessee's lost emerald: the green pitcher plant. *Tennessee Conservationist*. LXXII(3): 32-36.
- Fabian-Galan, G. and Salageanu, N. 1968, Considerations on the nutrition of certain carnivorous plants (*Drosera capensis* and *Aldrovanda vesiculosa*). *Revue Roumaine de Biologie-Botanique*, 13: 275-280.
- Fagerberg, W.R., and Howe, D.G. 1996, A quantitative study of tissue dynamics in Venus's Flytrap *Dionaea muscipula* (Droseraceae). II. Trap reopening. *American Journal of Botany*. 83: 836-842.
- Fagerberg, W.R. 2002, Changes in trap tissue relationships during closure/reopening in Venus's Flytrap (*Dionaea muscipula* Ellis): A possible model to explain trap morphological changes. Proc. of the 4th International Carnivorous Plant Conference. Tokyo. 83-89.
- Fagerberg, W.R., and Allain, D. 1991, A quantitative study of tissue dynamics during closure in the traps of Venus's Flytrap *Dionaea muscipula* Ellis. 78: 647-657.
- Fagerberg, W.R., and Howe, D.G. 1996, A quantitative study of tissue dynamics in Venus's Flytrap *Dionaea muscipula* (Droseraceae). II. Trap reopening. *American Journal of Botany*. 83: 836-842.
- Fenner, C.A. Beiträge zur Kenntnis der Anatomie, Entwicklungsgeschichte und Biologie der Laubblätter und Drüsens einiger Insektivoren. *Flora*, 93: 335-434.
- Figueira, J.E.C., Vasconcellos-Neto, J., and Jolivet, P. 1994, Une nouvelle plante protocarnivore *Paepalanthus bromelioides* Silv. (Eriocaulacee) du Brésil. *Revue d'Ecologie*. 49(1): 3-9.
- Fischer, E., Porembski, S., and Barthlott, W. 2000, Revision of the genus *Genlisea* (Lentibulariaceae) in Africa and Madagascar with notes on ecology and phytogeography. *Nord. J. Bot.* 20: 291-318.
- Flisek, J., & Pasek, K. 2000, New cultivars: *Pinguicula 'Aphrodite'*. *Carniv. Pl. Newslett.*, 29: 118.
- Frank, J.H. 2000, Bromeliad Biota (and its subpages), accessed 8 February 2007.  
<http://bromeliadbiota.ifas.ufl.edu/index.htm>
- Frank, J.H. and O'Meara, G.F. 1984, The bromeliad *Catopsis berteroniana* traps terrestrial arthropods but harbors *Wyeomyia* larvae (Diptera: Culicidae). *Florida Entomologist* 67: 418-424.
- Frazier, C. 2000, The enduring controversies concerning the process of protein digestion in *Nepenthes* (Nepenthaceae). *Carniv. Pl. Newslett.*, 29, 56-61.

- Freeman, L. 1996, *Darlingtonia californica* Correcting errors perpetuated in the literature.  
<http://www.siskiyous.edu/shasta/art/smith/darcal.htm>, accessed 3 February 2007.
- Gagliardo, R. 1996, A new cultivar of *Dionaea muscipula* Ellis. Carniv. Pl. Newslett., 25, 50.
- Gallie, D.R., and Chang, S-C. 1997, Signal Transduction in the Carnivorous Plant *Sarracenia purpurea*. Plant Physiol. 115, pp. 1461-1471.
- Gibson, R. 2001, Highlights of a trip to Western Australia. Carniv. Pl. Newslett., 30, 78-83.
- Gibson, R. 1999, Observations on *Cephalotus* in the wild. Carniv. Pl. Newslett., 28, 30-31.
- Givnish, T.J., Evans, T.M., Zjhra, M.L., Patterson, T.B., Berry, P.E., and Sytsma, K.J. 2000, Molecular evolution, adaptive radiation, and geographic diversification in the amphiatlantic family Rapateaceae: evidence from *ndhF* sequences and morphology. Evolution. 54(6): 1915-1937.
- Godfrey, R.K., and Wooten, J.W. 1981, Aquatic and Wetland Plants of Southeastern United States: Dicotyledons. University of Georgia Press, 933p.
- Godt, M.J.W., and Hamrick, J.L. 1999, Genetic Divergence Among Infraspecific Taxa of *Sarracenia purpurea*. Sast. Bot., 23: 427-438.
- Gomez-Laurito, J. 2005. *Utricularia uxoris* (Lentibulariaceae), una nueva especie costaricense de la sect. Orchidioides. Lankesteriana 5: 137-139.
- GonÃ§alves, S., and Romano, A. 2005, Micropropagation of *Drosophyllum lusitanicum* (Dewy pine), an endangered West Mediterranean endemic insectivorous plant. Biodiversity and Conservation, 14(5): 1071-1081.
- Gould, S.J. 1989, Wonderful Life: The Burgess Shale and the Nature of History. Replica Books.
- Greuter, W., McNeill, J., Barrie, F.R., Burdet, H.-M., Demoulin, V., Filgueiras, T.S., Nicolson, D.H., Silva, P.C., Skog, J.E., Trehane, P., Turland, N.J., and Hawksworth, D.L. 2000, International Code of Botanical Nomenclature. Koeltz Scientific Books, Konigstein.
- Harshberger, J.W. 1925, Notes on the Portuguese insectivorous plant, *Drosophyllum lusitanicum*. Proc. of the Am. Phil. Soc., 61:1, 51-54.
- Hartmann, W.K. 2003, A traveler's guide to Mars. New York, New York. 468p.
- Hartmeyer, S. 1998, Carnivory in *Byblis* revisited II: the phenomenon of symbiosis on insect trapping plants. Carniv. Pl. Newslett., 27, 110-113.
- Hartmeyer, S. 1997, Carnivory in *Byblis* revisited: a simple method for enzyme testing on carnivorous plants. Carniv. Pl. Newslett., 26, 39-45.
- Hegnauer, R. and Hegnauer, M. 2001, Chemotaxonomie der Pflanzen (Band 1-6). Basel, Stuttgart: Birkhauser Verlag, 1962-1973.
- Hepburn, J.S., Jone, F.M., and St. John, E.Q. 1920, The absorption of nutrients and allied phenomena in the pitchers of the Sarraceniaceae. J. of the Franklin Inst., 189:147-184.
- Hickman, J.C. (editor) 1993, The Jepson Manual. Berkeley, California. 1400p.
- Hilton-Taylor, C. 2000. 2000 IUCN Red List of Threatened Species. Gland and Cambridge. IUCN/SSC. On line at:  
<http://www.iucnredlist.org/>
- Hilton-Taylor, C. 1996. Red Data List of southern African plants. Strelitzia, 4: 1-117.
- Hinkson, S.J. 2001, New Cultivars: *Nepenthes 'Scarlet Splash'*. Carniv. Pl. Newslett., 30, 75-77.
- Huber, O. 2001. Conservation and environmental concerns in the Venezuelan Amazon. Biodiversity and Conservation. 10: 1627-1643.
- Hummer, J. 2000, New Cultivars: *Cephalotus 'Hummer's Giant'*. Carniv. Pl. Newslett., 29, 119-122.

- Jaffe, K., Michelangeli, F., Gonzalez, J.M., Miras, B., and Ruiz, M.C. 1992, Carnivory in Pitcher Plants of the Genus *Heliamphora* (Sarraceniaceae), *New Phytologist* 122(4): 733-744.
- Juniper, B.E., Robins, R.J., and Joel, D. 1989, The carnivorous plants. Academic Press, London, 353p.
- Jebb, M.H.P., and Cheek, M. 1997, A skeletal revision of *Nepenthes* (Nepenthaceae). *Blumea* 42: 1-106.
- Kondo, K. 2006 (reissue) The Carnivorous Plants. 247p.
- Kondo, K., Kokubugata, G., Varghese, S.B., Itoyama, M., Breckpot, C., Kromer, K., and Kaminski, R. 1997, Conservation of endangered *Aldrovanda vesiculosa* by tissue culture. *Carniv. Pl. Newslett.*, 26, 89-92.
- Lamb, R. 1991, *Pinguicula villosa*: The northern butterwort. *Carniv. Pl. Newslett.*, 20, 73-77.
- Legendre, L. 2000, The genus *Pinguicula* L. (Lentibulariaceae): an overview. *Acta Bot. Gallica*, 147, 77-95.
- Lee, C.C., Hernawati, and Akhriadi, P. 2006, Two new species of *Nepenthes* (Nepenthaceae) from north Sumatra. *Blumea*, 51, 561-568.
- Leslie, M. 2000, Injecting relief. Sufferers of common aches and pains say they find relief in a new treatment called prolotherapy. What do they know? Lycos Health with MD. WebMD Medical News, October 2, accessed 4 April 2002. <http://webmd.lycos.com/content/article/1668.50767>
- Lewis, W.H., Elvin-Lewis, P.F. and Elvin-Lewis, M.P. 1977, Medical botany: plants affecting man's health. John Wiley and Sons
- Li, H. 2005. Early Cretaceous sarraceniaceous-like pitcher plants from China. *Acta Bot. Gallica*, 152(2): 227-234.
- Lloyd, F.E. 1942, The carnivorous plants. *Chronica Botanica*, New York, USA, 352p.
- Lovecraft, H.P. 1984, The Dunwich Horror and Others. Arkham House.
- Lowrie, A. 2005, A taxonomic revision of *Drosera* section *Stolonifera* (Droseraceae) from southwest Western Australia. *Nuytsia*, 15:355-393.
- Lowrie, A. 1999, Carnivorous Plants of Australia, Vol III. University of Western Australia Press, 288 pp.
- Lowrie, A. 1989, Carnivorous Plants of Australia, Vol II. University of Western Australia Press, XXXVIII + 202 pp.
- Lowrie, A. 1987, Carnivorous Plants of Australia, Vol I. University of Western Australia Press, XXVI + 202 pp.
- Lowrie, A. and Conran, J.G. 1998, A taxonomic revision of the genus *Byblis* (Byblidaceae) in northern Australia. *Nuytsia*, 12:59-74.
- Lowrie, A. and Conran, J.G. 2007, A revision of the *Drosera omissa*/D. *nitidula* complex (Droseraceae) from south-west Western Australia. *Taxon*, 56:533-544.
- Mabberley, D.J. 1987, The Plant-book. Cambridge, 858 p.
- MacKinnon, K., Hatta, G., Halim, H., and Mangalik, A. 1996, The ecology of Kalimantan, Indonesian Borneo, The ecology of Indonesia Series, Vol III. Oxford University Press, London. 802 p.
- Mann, P. 2007, *Drosera gibsonii* (Droseraceae), a new pygmy *Drosera* from south-west Western Australia. *Nuytsia*, 16: 321-323.
- Manolis, T. 2003, Dragonflies and Damselflies of California. Berkeley, 201 p.
- Mazur, C.J., and Lechtman, J. 2005, A veinless form of *Sarracenia purpurea* subsp. *purpurea* discovered in Ontario, Canada. *Carniv. Pl. Newslett.*, 34, 79-84.
- Mazur, C., and Mazur, M. 2004, Noteworthy collections: anthocyanin-free *Sarracenia alata* (Wood) Wood in Alabama. *Carniv. Pl. Newslett.*, 33, 76.
- McDaniel, S. 1971, The genus *Sarracenia* (Sarraceniaceae). *Bull. Tall Timbers Res. Station*. 9: 1-36.

- McPherson, S. 2006, Pitcher Plants of the Americas. McDonald and Woodward, Blacksburg. 320 p.
- Merbach, M.A., Zizka, G., Fiala, B., Merbach, D., Booth, W.E. and Maschwitz, U. 2007, Why a carnivorous plant cooperates with an ant--Selective defense against pitcher-destroying weevils in the myrmecophytic pitcher plant *Nepenthes bicalcarata* HOOK. fil. Ecotropica 13: 45-56.
- Millspaugh, C.F. 1892, American Medicinal Plants. Dover, NY reprinted 1974).
- Mody, N.V., Henson, R., Hedin, P.A., Kokpol, U., and Miles, D.H. 1976, Isolation of the insect paralyzing agent coniine from *Sarracenia flava*. Cellular and Molecular Life Sciences, 32:829-830.
- MÄ¼ller, K., and Borsch, T. 2005, Phylogenetics of Utricularia (Lentibulariaceae) and molecular evolution of the trnK intron in a lineage with high substitutional rates. Plant Syst. Evol. 250: 39-67.
- MÄ¼ller, K., Borsch, T., Legendre, L., Porembski, S., and Barthlott, W. 2006, Recent progress in understanding the evolution of carnivorous Lentibulariaceae (Lamiales). Plant Biology, 8: 748-757.
- MÄ¼ller, K., Borsch, T., Legendre, L., Porembski, S., Theisen, I., and Barthlott, W. 2004, Evolution of carnivory in Lentibulariaceae and the Lamiales. Plant Biology, 6: 1-14.
- Myers, N. 1990, The biodiversity challenge:expanded hotspot analysis. Environmentalist. 10: 243.
- Naczi, R.F.C, Soper, E.M., Case, F.W., and Case, R.B. 1999, *Sarracenia rosea* (Sarraceniaceae), a new species of pitcher plant from the southeastern United States. Sida 18: 1183-1206.
- Nelson, E.C., and McKinley, D.L. 1990, Aphrodite's Mousetrap. Boethius Press, Aberystwyth, Wales, 145p.
- Nerz, J., and Wistuba, A. 2000, *Heliamphora hispida* (Sarraceniaceae), a New Species from Cerro Neblina, Brazil-Venezuela. Carniv. Pl. Newslett., 29, 37-41.
- Nerz, J., and Wistuba, A. 2007, *Nepenthes mantalingajanensis* (Nepenthaceae), eine bemerkenswerte neue Spezies aus Palawan (Philippinen). Das Taublatt, 59, 17-20.
- Nerz, J., Wistuba, A., and Hoogenstrijd, G. 2006, *Heliamphora glabra* (Sarraceniaceae), eine eindrucksvolle Heliamphora Art aus dem westlichen Teil des Guayana Schildes. Das Taublatt, 54, 58-70.
- Nyoka, S., and Ferguson, C. 1999, Pollinators of *Darlingtonia californica* Torr., the California Pitcher Plant, Natural Areas Journal, 19, 386-391.
- Obermeyer, A.A. 1970, Roridulaceae. In L. E. Codd, B. DeWinter, D. J. B. Killick, and H. B. Rycroft (eds.), Flora of Southern Africa 13. Kirstenbosch, 201-204, Darter Brothers, Cape Town, South Africa.
- Olin, B.R. 1989, Herbal Diuretics, In The Lawrence Review of Natural Products. Lippincott, St. Louis.
- Opel, M.R.. 2005, Roridula, A carnivorous shrub from South Africa, Carniv. Pl. Newslett., 34, 106-110.
- Parkes, D.M. 1980, Adaptive mechanisms of surfaces and glands in some carnivorous plants. MS Thesis, Monash University, Clayton, Victoria, Australia.
- Parnell, J.A.N. 2005, An account of the Lentibulariaceae of Thailand. Thai For. Bull. (Bot) 33: 101-144.
- Partrat, E. 2001, *Pinguicula* — scullyi, accessed 6 June 2007.  
[http://www.pinguicula.org/pages/plantes/pinguicula\\_x\\_scullyi.htm](http://www.pinguicula.org/pages/plantes/pinguicula_x_scullyi.htm)
- Patrick, T.S., Allison,J.R., & Krakow, G.A. 1995, Protected Plants of Georgia. Georgia Department of Natural Resources, Social Circle, Georgia.
- Peruzzi, L., Passalacqua, N.G., & Cesca, G. 2004, *Pinguicula crystallina* Sibth. et Smith subsp. *hirtiflora* (Ten.) Strid (Lentibulariaceae) in Calabria (Southern Italy). Cytotaxonomical study and ex situ conservation in the Botanic Garden of Calabria University. Carniv. Pl. Newslett., 33: 68-74.
- Petersen, R.L., Faust, A., Nagawa, J., Thomas, C., and Vilmenay, A. 2000, Foreign mosquito survivorship in the pitcher plant *Sarracenia purpurea* - the role of the pitcher-plant midge *Metriocnemus knabi*. Hydrobiologia, 439: 13-19.

- Phillipps, A. and Lamb, A. 1996, Pitcher-plants of Borneo. Natural History Publications. Kota Kinabalu. 171p.
- Poe, E.A. 1966, Complete Stories and Poems of Edgar Allan Poe. Doubleday, 832 p.
- Porembski, S., Seine, R., and Barthlott, W. 1997, Inselberg vegetation and the biodiversity of granite outcrops. J. of the Royal Soc. of Western Australia, 80: 193-199.
- Raimi, S. 1982, The Evil Dead (movie).
- Randall, J.M., and Marinelli, J. (editors) 1996, Invasive Plants: Weeds of the Global Garden. Brooklyn Botanic Garden, New York, 112p.
- Radhamanim, T.R., Sudarshana, L., and Krishnan-Rani. 1995, Defense and Carnivory: Dual Role of Bracts in *Passiflora foetida*. Journal of Biosciences (Bangalore), 20:657-664.
- Raven, P.H., Evert, R.F., and Curtis, H. 1981, Biology of Plants, 3rd Ed. Worth Publishers, Inc., New York, 686p.
- Read, E. 1999, New Cultivars (*Dionaea 'Red Piranha'*). Carniv. Pl. Newslett., 28, 99.
- Richards, J.H. 2001, Bladder function in *Utricularia purpurea* (Lentibulariaceae): is carnivory important? Am. J. of Botany, 88: 170-176.
- Rice, B.A. 2007a, Carnivorous plants with hybrid trapping strategies. Carniv. Pl. Newslett., 36:23-27.
- Rice, B.A. 2006a, Growing Carnivorous Plants. Timber Press, 225p.
- Rice, B.A. 2006b, News and Views. Carniv. Pl. Newslett., 35:88.
- Rice, B.A. 2005a, News and Views. Carniv. Pl. Newslett., 34:71.
- Rice, B.A. 2005b, A *Nepenthes clipeata* conservation. Carniv. Pl. Newslett., 34:115.
- Rice, B.A. 2005c, *Drosera* — *hybrida* and *Utricularia ochroleuca* in California (Noteworthy Collections. Madroño, 52: 271-272.
- Rice, B.A. 2004, A "New" way to propagate *Sarracenia* vegetatively. Carniv. Pl. Newslett., 33:123-126.
- Rice, B.A. 2003c, ICPS wild seed collection policy. Carniv. Pl. Newslett., 32:12-13.
- Rice, B.A. 2003b, A *Sarracenia purpurea* var. *montana* conservation project. Carniv. Pl. Newslett., 32:103-106.
- Rice, B.A. 2003a, *Sarracenia* distribution program. Carniv. Pl. Newslett., 32:4-7.
- Rice, B.A. 2002, Noteworthy Collections: *Drosera aliciae*, *Drosera capensis*, *Utricularia subulata*. Madrono, 49:193-194.
- Rice, B.A. 2002, Cold *Pinguicula* in a Hot Climate. Carniv. Pl. Newslett., 31, 25-27.
- Rice, B.A. 2001a, Rare *Sarracenia* poaching and the ICPS. Carniv. Pl. Newslett., 30, 43-50.
- Rice, B.A. 2001b, Black vine weevil: A *Sarracenia* and *Darlingtonia* pest. Carniv. Pl. Newslett., 30, 26-27.
- Rice, B.A. 2001c, Color patterns in *Darlingtonia*. Carniv. Pl. Newslett., 30, 100-103.
- Rice, B.A. 2001d, News and Views: *Sarracenia leucophylla* in Georgia. Carniv. Pl. Newslett., 30, 59-60.
- Rice, B.A. 2000, New Cultivars (*Dionaea 'Dentate Traps'*, *Dionaea 'Sawtooth'*, *Dionaea Dentate Traps* Cultivar Group). Carniv. Pl. Newslett., 29, 14-21.
- Rice, B.A. 2000b, Noted horticulturist Peter D'Amato murders Don Schnell! Carniv. Pl. Newslett., 29, 3.
- Rice, B.A. 1999, Testing the appetites of *Ibicella* and *Drosophyllum*. Carniv. Pl. Newslett., 28, 40-43.
- Rice, B.A. 1998, *Darlingtonia californica* 'Othello'. Carniv. Pl. Newslett., 27, 40-42.
- Rice, B.A. 1997, An anthocyanin-free variant of *Darlingtonia californica*: newly discovered and already imperilled. Carniv.

Pl. Newslett., 26, 129-132.

Rice, B.A. 1996, CLODS, collectors, and pseudo-environmentalists. Carniv. Pl. Newslett., 25, 122.

Rice, B.A. 1994a, Focusing on *Utricularia uniflora*--a butterfly look alike. Carniv. Pl. Newslett., 23, 11-14.

Rice, B.A. 1994b, Focusing on *U. gibba*-the U stands for ubiquitous! Carniv. Pl. Newslett., 23, 19-22.

Rice, B.A. 1994c, Are *Genlisea* traps active? A crude calculation. Carniv. Pl. Newslett., 23, 40-42.

Rice, B.A. 1994d, Focusing on *Utricularia*--*U. delicatula* and *U. lateriflora*. Carniv. Pl. Newslett., 23, 15-19.

Rice, B.A. 1994e, *U. sandersonii*--a siren from *Utricularia*. Bull of the A.C.P.S., 13, 6-8.

Rice, B.A. 1994f, Focusing on *Utricularia prehensilis*--an inquisitive plant. Carniv. Pl. Newslett., 23, 34-36.

Rice, B.A. 1993, *Byblis*--Notes on Forms New to Cultivation. Carniv. Pl. Newslett., 21, 39-40.

Rischer, H. 2000, Growing *Nepenthes* in a completely inorganic medium. Carniv. Pl. Newslett. 29: 50-53.

Rivadavia, F., Kondo, K., Kato, M., and Hasebe, M. 2003, Phylogeny of the sundews, *Drosera* (*Droseraceae*), based on chloroplast *rbcL* and nuclear 18S ribosomal DNA Sequences. Am. J. Bot. 90, 123-130.

Romero, G.A., Carnevali, G., and RamÃ-rez, I. 1998, Aracamunia, this native of Venezuela may be the first described carnivorous orchid. Orchid Soc. Bull. 1155-1157.

Rondeau, J.H. 1991, Carnivorous plants of California. Unpublished MS. 44p.

Russo, M.J. 1993. *Dionaea muscipula* Ellis. NatureServe, <http://www.natureserve.org>, accessed 11/2005.

Salmon, B. 2001. Carnivorous Plants of New Zealand. Ecosphere Publications. 303p.

Schlauer, J. 2002, World Carnivorous Plant List - Nomenclatural Synopsis of Carnivorous Phanerogamous Plants, [http://www.omnisterra.com/bot/cp\\_home.cgi](http://www.omnisterra.com/bot/cp_home.cgi), accessed February 2002.

Schlauer, J. 1998, Book Review (Radhamanim, et al., 1995). Carniv. Pl. Newslett. 27: 102-103.

Schlauer, J. 1997. Fossil Aldrovanda--Additions. Carniv. Pl. Newslett. 26: 98.

Schlauer, J. 1996. A dichotomous key to the genus *Drosera* L. (*Droseraceae*). Carniv. Pl. Newslett. 25: 67-88.

Schlosser, E. 2003 *Utricularia stygia* in California, USA, and *U. ochroleuca* at its southern range. Carniv. Pl. Newslett. 32: 113-121.

Schmid-Hollinger, R. 1979 Nepenthes-Studien V. Die Kannenformen der westlichen Nepenthes-Arten. Bot. Jahrb. Syst. 100: 379-405.

Schnell, D.E. 2002a, Carnivorous plants of the United States and Canada. (2nd Edition) Timber Press, Portland, 468p.

Schnell, D.E. 2002b, *Sarracenia minor* Walt. var. *okefenokeensis* Schnell: A new variety. Carniv. Pl. Newslett. 28: 107-115.

Schnell, D.E. 1999a, Book Review (Romero, et al., 1998). Carniv. Pl. Newslett. 28: 54.

Schnell, D.E. 1999b, *D. anglica* vs. *D. x anglica*: What is the difference? Carniv. Pl. Newslett. 28: 107-115.

Schnell, D.E. 1998, *S. flava* L. Varieties, Carniv. Pl. Newslett. 27: 116-120.

Schnell, D.E. 1993, *Sarracenia purpurea* L. ssp. *purpurea* (Raf.) Wherry var. *burkii* Schnell (*Sarraceniaceae*)--A new variety of the Gulf Coastal plain. Rhodora, 95: 6-10.

Schnell, D.E. 1982, News and Views. Carniv. Pl. Newslett., 11, 87.

Schnell, D.E. 1979, *Sarracenia rubra* Walter subspecies *gulfensis*: a new subspecies. Castanea, 44: 217-223.

- Schnell, D.E. 1978a, *Sarracenia* L. petal extract chromatography. *Castanea*, 43: 107-115.
- Schnell, D.E. 1978b, *Sarracenia rubra* Walter: infraspecific nomenclatural corrections. *Castanea*, 43: 260-261.
- Schnell, D.E. 1977, Infraspecific variation in *Sarracenia rubra* Walt.: some observations. *Castanea*, 42: 149-170.
- Schnell, D.E. 1976, Carnivorous plants of the United States and Canada. John F. Blair, Winston-Salem, 126p.
- Seine, R., Porembski, S., Balduin, M., Theisen, I., Wilbert, N., and Barthlott, W. 2002, Different prey strategies of terrestrial and aquatic species in the carnivorous genus *Utricularia* (Lentibulariaceae). *Botanische Jahrbücher für Systematik*, 124: 71-76.
- Sheridan, P.M. 1991, What is the identity of the west Gulf Coast pitcher plant, *Sarracenia alata* Wood? *Carniv. Pl. Newslett.* 20: 102-110.
- Sheridan, P.M. 1987, A preliminary report on *Drosera intermedia* — *D. capillaris*. *Carniv. Pl. Newslett.* 16: 71-73.
- Sheridan, P. and Scholl, B. 1993, Noteworthy *Sarracenia* collections. *Carniv. Pl. Newslett.* 22: 58-61.
- Shimai, H., and Kondo, K. 2007, Phylogenetic analysis of Mexican and Central American *Pinguicula* (Lentibulariaceae) based on internal transcribed sapce (ITS) sequence. *Chromosome Botany* 2: 67-77.
- Simpson, R.B. 1994, Kew Conservation review: pitchers in trade. Royal Botanic Gardens, Kew.
- Siragusa, A.J., Swenson, J.E., and Casamatta, D.A. 2007, Culturable bacteria present in the fluid of the hooded-pitcher plant *Sarracenia minor* based on 16S rDNA gene sequence data, *Microbial Biology*, 54: 324-331.
- Skilling, D.D. 1984, Sporotrichosis: a disease hazard for nurserymen. *Carniv. Pl. Newslett.* 14: 8-9.
- Slack, A. 1986, Insect-Eating Plants and how to Grow Them. AlphaBooks, London, England, 172p.
- Slack, A. 1979, Carnivorous Plants. MIT Press, Cambridge, Massachusetts, 240p.
- Smith, C.A. 1966, Common names of South African plants. Mem. of the Bot. Survey of South Africa, 35.
- Snyder, I. 2005, Youthwort--Herbal Alchemy. *Carniv. Pl. Newslett.*, 34, 74-76.
- Song, L. 2001a, New Cultivars (*Dionaea 'Jaws'*). *Carniv. Pl. Newslett.*, 30, 111-116.
- Song, L. 2001b, New Cultivars (*Pinguicula 'Titan'*). *Carniv. Pl. Newslett.*, 30, 11.
- Steiger, J. and Rondeau, H. 1997, *Pinguicula macroceras* subsp. *nortensis*. International *Pinguicula* Study Group Newsletter 8: 3.
- Stewart, S. 2004, New Cultivars: *Dionaea 'Cupped Trap.'* *Carniv. Pl. Newslett.*, 33, 84.
- Steyermark, J.A. and Holst, B.K. 1989, Flora of the Venezuelan Guayana-VII Contributions to the Flora of the Cerro Aracamuni, Venezuela. *Annals of the Missouri Botanical Garden*, Vol. 76, No. 4. pp945-992.
- Studnicka, M. 2003a, Further problem in *Genlisea* trap untangled? *Heliamphora*, and *Utricularia* in Natural Habitats, *Carniv. Pl. Newslett.* 32: 40-45.
- Studnicka, M. 2003b, Observations on Life Strategies of *Genlisea*, *Heliamphora*, and *Utricularia* in Natural Habitats, *Carniv. Pl. Newslett.* 32: 57-61.
- Studnicka, M. 2001, New Observations of leaf movements in *Pinguicula* (Lentibulariaceae), *Carniv. Pl. Newslett.* 30: 51-54.
- Studnicka, M. 1992, New cultivars: *Pinguicula 'Gina'*. *Carniv. Pl. Newslett.*, 21: 6.
- Taton, A. 1945, Nouveaux *Drosera* du Congo Belge. *Bulletin du Jardin Botanique de Bruxelles*, 17: 307-311.
- Taylor, P. 1991a, The Genus *Genlisea*. *Carniv. Pl. Newslett.*, 20, 20-26.
- Taylor, P. 1991b, World list of genus *Utricularia* (revised). *Carniv. Pl. Newslett.*, 20, 44-58.

- Taylor, P. 1989, The genus *Utricularia*: a taxonomic monograph. Kew Bull. Add. Ser. 14:1-724.
- Taylor, P. 1988, Lentibulariaceae. Flora Zambesiaca 8(3): 9-42.
- Teichreb, C. 2006. *Darlingtonia californica* (Sarraceniaceae) and *Sarracenia purpurea* (Sarraceniaceae)--profiles of a refugee and a recluse in British Columbia. Carniv. Pl. Newslett., 35, 36-37.
- Terry, R., Brown, G.K., and Olmstead, R.G. 1997, Phylogenetic relationships in subfamily Tillandsioideae (Bromeliaceae) using ndhF sequences, Systematic Botany 22(2): 333-345.
- Thor, G. 1988, The genus *Utricularia* in the Nordic countries, with special emphasis on *U. stygia* and *U. ochroleuca*, Nord. J. Bot. 8(3): 213-225.
- Tran, D. 2001, *Cephalotus follicularis*: cultivation with capillary mats. Carniv. Pl. Newslett., 30, 88-89.
- Trehane, P., Brickell, C.D., Baum, B.R., Hetterscheid, W.L.A., Leslie, A.C., McNeill, J., Spongberg, S.A., and Vrugtman, F. (eds), 1995, International Code of Nomenclature for Cultivated Plants. Quarterjack Publishing, Wimborne, UK.
- Todorov, et al. 2000, in Dokl. Bulg. Akad. Nauk. 53:129-132
- US Fish and Wildlife Service 1973, The US Endangered Species Act.
- USDA, NRCS. 2007, The PLANTS Database (<http://plants.usda.gov>, accessed 2 July 2007). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.
- von Arx, B., Schlauer, J. and Groves, M. 2001, CITES Carnivorous Plant Checklist. Cromwell Press, UK.
- Van Eseltine, G.P. 1929. A preliminary study of the unicorn plants (Martyniaceae): Technical Bulletin 149, (Geneva: New York State Agricultural Experiment Station), p. 1--41.
- Verhoek-Williams, S. 1976, Carniv. Pl. Newslett., 5.
- Wang, Z-F., Hamrick, J.L., and Godt, M.J.W. 2004, High genetic diversity in *Sarracenia leucophylla* (Sarraceniaceae), a carnivorous wetland herb. J. of Heredity. 95: 234-243.
- Wherry, E.T. 1929, Acidity relations of the Sarracenias. J. Wash. Acad. Sci. 19: 379-390.
- Williams, S.E. 2002, Comparative physiology of the Droseraceae sensu stricto--How do tentacles bend and traps close? Proc. of the 4th International Carnivorous Plant Conference. Tokyo. 77-81.
- Wistuba, A., Harbarth, P., and Carow, T. 2001, *Heliamphora folliculata*, a New Species of *Heliamphora* (Sarraceniaceae) from the 'Los Testigos' Table Mountains in the South of Venezuela. Carniv. Pl. Newslett., 30, 120-125.
- Wistuba, A., Carow, T., and Harbarth, P. 2002, *Heliamphora chimantensis*, a New Species of *Heliamphora* (Sarraceniaceae) from the 'Macizo de Chimanta' in the South of Venezuela. Carniv. Pl. Newslett., 31, 78-82.
- Wistuba, A., Nerz, J., and Fleischmann, A. 2007, *Nepenthes flava*, a new species of Nepenthaceae from the northern part of Sumatra. Blumea 52: 159-163
- Wyman, T.H. 2004, New cultivars: *Pinguicula 'Enigma'*. Carniv. Pl. Newslett., 33: 88.
- Yadav, S.R., Sardesai, M.M., & Gaikwad, S.P. 2005, A new species of *Utricularia* L. (Lentibulariaceae) from the Western Ghats, India. Rheedea 15(1): 71-73.

Revised: December 2007

Â©Barry Rice, 2005

T: Radek Kastner